



# Index

## Special Characters

\$- 925  
\$! 924  
\$\$ 924  
\$? 924  
\$# 924

## A

abs command 988  
access times of a file, changing 1077  
accounting  
    ASCII format 29  
    ASCII summary format 19  
    billing summary file 848  
    binary summary format 19  
    combining total accounting files 28  
    connect 24  
    daily 848  
    disk 14  
    line-usage summary 25  
    login 15  
    merging total accounting files 28  
    monthly reports 15  
    process 14, 30  
    reports 15  
    session 15  
    shell procedures 13  
    start 16  
    turn off process 16  
    usage summaries 18  
accounting commands  
    acctcms 18  
    acctcom 20  
    acctcon1 24  
    acctcon2 25

acctdisk 26  
acctdusg 26  
acctmerg 28  
accton 31  
acctprc1 30  
acctprc2 31  
acctwtmp 458  
chargefee 14  
ckpacct 14  
dodisk 14  
fwtmp 457  
lastlogin 15  
monacct 15  
nulladm 15  
prctmp 15  
prdaily 15  
prtacct 16  
runacct 848  
shutacct 16  
startup 16  
turnacct 16  
wtmpfix 458  
accounting file 15  
accounting files  
    /usr/adm/acct/fiscal 15  
    /usr/adm/acct/nite/active 848  
    /usr/adm/acct/nite/ctmp 15  
    /usr/adm/acct/nite/lastdate 848  
    /usr/adm/acct/nite/lock 848  
    /usr/adm/acct/nite/lock1 848  
    /usr/adm/acct/nite/statefile 848  
    /usr/adm/acct/sum 15  
    /usr/adm/acct/sum/loginlog 15  
    /usr/adm/acct/sum/rprt 15  
    /usr/adm/fee 14  
    /usr/adm/pacct 14  
        acctcom 20  
        accton 31  
        ckpacct 14  
        turnacct 16

---

- /usr/adm/wtmp
  - acctcon1 24
  - billing summary file 848
  - creating 15
- accounting records
  - ASCII 30
  - ASCII format 24
  - converting ASCII to binary 457
  - converting binary to ASCII 457
  - display 20
  - examining connect records 457
  - login session 24
  - repairing wtmp records 458
  - session 24
  - total accounting login session 25
- accounting report, process 21
- accounting, disk usage 26
- acctcms command 18-19
- acctcom command 20-23
- acctcon1 command 24-25
- acctcon2 command 25
- acctdisk command 26
- acctdusg command 26-27
- acctmerg command 28-29
- accton command 31
- acctprc2 command 31
- acctwtmp command 458
- activity graph, system 865
- activity manager 32
- activity reporter, system 863, 867
- actman command 32
- adb command 33-40
- adding
  - audit bin file 69
  - devices 315
  - groups 1129
  - header flags, SCCS 45
  - users 1129
  - users, SCCS 45
- adduser command 1129-1132
- admin command 41-47
- Advanced Floating-Point Accelerator 143
- Advanced Processor Card 143
- af command 989
- AIX device driver 115
- AIX-KJ commands
  - awk command 83, 84
  - bs command 125
  - cal command 132
  - character class expressions 413, 423, 502, 916
  - cpio command 206
  - csch command 225, 232
  - ctab command 257, 260
  - cut command 270
  - dd command 302
  - delta command 312
  - df command 319
  - ed command 375
  - expr command 413
  - file command 420
  - find command 423
  - getty command 491
  - grep command 502, 504
  - lex command 564
  - mkfs command 660
  - od command 723
  - pattern matching 375, 564
  - sh command 916
  - sort command 959
  - tail command 1044
  - tar command 1048
  - tr command 1083
  - translating characters 1083
  - uname command 1114
  - xargs command 1233
- ali command 48-49
- anno command 50-52
- ap command 53-54
- ar command 55-58
- arbitrary precision arithmetic 97
- arithmetic game 59-60
- arithmetic, shell variable 412
- as command 61-62, 143
- assembler 61
- assembling
  - source code
    - as 61
    - asm 61
    - cc 141
    - masm 61
- at command 63-66



audit command 67-68, 77  
auditappend command 69-70, 79  
auditbin command 71  
auditd command 72  
auditing commands  
    audit 67  
    auditapp 69  
    auditbin 71  
    auditpr 73  
    auditselect 76  
    auditstream 78  
    auditwrite 80  
auditpr command 73-75  
auditselect command 76  
auditstream command 78  
auditwrite command 80  
awk command 81-86

## B

back game 87  
backing up files 88  
backup command 88-93  
banner command 94  
bar command 1009  
basename command 95-96  
batch command 63-66  
bc command 97-101  
bdiff command 102-103  
bel command 509  
bellmail command 104  
belonging to different groups 506  
bffcreate command 108-109  
bfs command 110-113  
billing summary file, accounting 848  
biod command 114  
biodd\_cfg command 115-116  
bj game 117  
blackjack game 117  
block count of a file, display 1029  
block I/O device driver 115  
branching from nonleaf deltas 481  
break command 931  
bs command 118-128

bucket command 1001  
burst command 129-131

## C

C Language programming  
    See also managing programs  
    See also programming  
    assembling source code 141  
commands  
    ar 55  
    as 61  
    cb 139  
    cc 140  
    cflow 154  
    cpp 210  
    fcc 141  
    lint 577  
    vcc 141  
    vrmfmt 141  
cross-reference listing 279  
files  
    a.out 141  
formatting source code 139  
linking object files 141  
maintaining linkage libraries 55  
preprocessing source code 141  
syntax checking 577  
cal command 132-133  
calculating  
    CPU factor 22  
    CPU time 21  
    hog factor 22  
calculator program 97  
calculator, desk 295  
calendar command 134-136  
calprog program 136  
case command 930  
case in Japanese Language Support 257  
cat command 137-138  
cb command 139  
cc command 140-149, 173  
cd command 150-151, 931  
cdc command 152-153

---

CDPATH 922  
 ceil command 991  
 cflow command 154-155  
 changing  
   ASCII accounting records to binary 457  
   binary accounting records to ASCII 457  
   changing permission codes 160  
   current directory 150  
   devices 315  
   files, SCCS 310  
   format of a file 686  
   group identification 689  
   group ownership 156  
   groups 1129  
   login environment 689  
   owner-ID of files or directories 169  
   password 735  
   primary group 689  
   root directory 172  
   SCCS delta comments 152  
   system parameters 171  
   users 1129  
 changing Distributed Services ipc queues  
   table 544  
 changing Distributed Services network  
   Users/Groups table 1109  
 changing Distributed Services node table 685  
 changing password table 801  
 changing state values 361  
 character class expressions (Japanese Language  
   Support) 84, 125, 206, 257, 413, 423, 502, 916  
   equivalence classes  
     ctab command 257  
 character classes 4  
 chargefee command 14  
 charting  
   external references 154  
 checkcw command 277-278  
 checkeq command 395-396  
 checking process accounting files 14  
 checking programs  
   awk command 81  
   bs 118  
   cvid 272  
   managing programs  
     awk 81  
     make 625  
     messages  
     miscellaneous languages  
       ar 55  
       awk 81  
 checkmm command 663  
 checksum of a file, display 1029  
 chgrp command 156-157  
   changing  
     group ownership 156  
 chkcomp command 158-159  
 chmod command 160-163  
 chng command 168  
 chngstate command 164  
 chown command 169-170  
 chparm command 171  
 chroot command 172-173  
 chtcb command 174  
 ckpacct command 14  
 ckprereq command 533  
 clearing an i-node 175  
 clri command 175-176  
 cmp command 177-178  
 col command 179-180  
 collating sequence  
   collating sequence  
     csh command 231  
     ctab command 257  
     sh command 916  
     sort command 958  
   csh command 231  
   ctab command 257  
   li command 568  
   ls command 596  
   NLCTAB environment variable 923  
   sh command 916  
   sort command 958  
 colors  
   setting active display palette 332  
   setting background display 332  
   setting foreground display 332  
 comb command 181-182  
 combining  
   deltas, SCCS 181  
   total accounting files 28  
 comm command 183-184



---

command execution environment 393  
 command line flag parsing 485  
 command usage summary 18  
 commands  
     See accounting commands  
     See AIX-KJ commands  
     See auditing commands  
     See C Language programming  
     See communication commands  
     See controlled access mode commands  
     See editors  
     See filter commands  
     See graphics commands  
     See maintenance commands  
     See managing programs, commands  
     See Multi-User Services commands  
     See programming  
     See reading standard input  
     See system group commands  
     See text processing commands  
     See writing to standard output  
 comments in SCCS files, including kanji  
     characters 312  
 communication commands  
     confer 189  
     connect 198  
     ct 254  
     cu 263  
     Cvt 274  
     edconfig 385  
     fmt 428  
     mail, Mail 608  
     mailstats 623  
     mesg 642  
     news 691  
     rmail 836  
     sendmail 897  
     uucheck 1137  
     uucico 1139  
     uucleanup 1141  
     uucp 1144  
     uulog 1149  
     uname 1151  
     uupick 1153  
     uusched 1156  
     uustat 1158  
     uuto 1162  
     uutry 1164  
     uux 1166  
     uuxqt 1172  
     wall 1208  
     who 1219  
     300 1262  
     4014 1264  
     450 1265  
 communication, interprocess status 539  
 comp command 185-188  
 comparing  
     directories  
         dircmp 328  
     files 883  
         bdiff 102  
         cmp 177  
         diff 320  
         diffmk 326  
         diff3 323  
         dircmp 328  
     SCCS files 874  
 compilers  
     bs 118  
     cc 140  
     sno 956  
 compress program 971  
 compressing files 730  
 concatenate files 137  
 concurrent groups 506  
 conditional expressions, evaluating 1064  
 confer command 189-193  
 config command 194-195  
 configuration information 194  
 configuring  
     block I/O device driver 115  
 conflict command 196-197  
 connect accounting 24  
 connect command 198-201  
 consistency check and repair of files  
     dfscck command 447  
     fsck command 445  
 constant-width text 275  
 constructing a file system 658  
 contents of directory, listing 346, 567  
 context split 252

- ul style="list-style-type: none;">
- continue command 931
- controlled access mode commands
  - audit 67
  - auditapp 69
  - auditbin 71
  - auditpr 73
  - auditselect 76
  - auditstream 78
  - auditwrite 80
  - chtcb 174
  - getty 491
  - login 584
  - logout 590
  - tsh 1100
  - watch 1209
- conversion routines
  - fromnls 302
  - fromsjis (Japanese Language Support) 302
  - tonls 302
  - tosjis (Japanese Language Support) 302
- converting
  - ASCII accounting records to binary 457
  - binary accounting records to ASCII 457
  - kanji characters 302
- copy command 202-204
- copying
  - AIX files
    - copy 202
    - cp 202
  - DOS files
    - dosread 348
    - doswrite 350
- cor command 1002
- cp command 202-204
- cpio command 205-209
- cpp command 143, 210-213
- CPU factor computation 22
- CPU time computation 21
- craps game 214
- crash command 215-219
- creating
  - C program cross-reference listing 279
  - delta, SCCS 310
  - mount table 911
  - SCCS files 41
  - special file 661
  - specified version of an SCCS file 477
- cron command 220-221, 848
  - used with the sa1 command 864
  - used with the sa2 command 864
- crontab command 222-224
- cross-reference listing, C program 279
- csch command 225-251
- csplit command 252-253
- ct command 254-256
- ctab command 257-260
- ctags command 261-262
- cu command 263-268
- current directory
- current directory, changing 150
- cusum command 991
- cut command 269-271
- cvid command 272-273
- cvrtopt command 509
- Cvt command 274
- cw command 275-278
  - used in pipeline with nroff 710
- cxref command 279-280
- D
- daemon, error-logging 398
  - daemon, error-logging termination 404
  - daemon, terminal logging 1072
  - daemon, tlogger 1071
  - daily accounting 848
  - database operator 547
  - date command 281-283, 356, 363
  - dbx 1236
  - dbx command 284-294
  - dc command 295-298
  - dcopy command 299-300
  - dd command 301-305
  - debugger, file system 450
  - defining shell functions 931
  - defkey command 306-307
  - del command 308-309
  - deleting
    - delta from SCCS file 837
    - devices 315



---

- directories
  - rm 833
  - rmdir 838
- DOS files 345
- files
  - del 308
  - rm 833
  - skulker 951
- groups 1129
- repeated words 1118
- users 1129
- users, SCCS 45
- delta command 310-312
- delta summary of SCCS file 482
- deltas, branching from nonleaf 481
- deroff command 313-314
- description file, make command 630
- desk calculator 295
- device (special) files
  - /dev/audit 78
  - /dev/null
    - acctcom 20
    - standard input assigned to 20
- adding 315
- changing 315
- creating 661
- deleting 315
- device driver
  - block I/O 115
- device name 316
- devices
- devices command 315
- devnm command 316-317
- df command 318
- dfsck command 447-449
- di command 567-573
- diagnostic
  - token-ring 1097
  - trdiag 1097
- diff command 177, 320-322
- diffmk command 326-327
- diff3 command 323-325
- dircmp command 328-329
- directories
  - changing
    - owner-ID 169
  - comparing
    - dircmp 328
  - listing contents
    - di 567
    - DOS directories 346
    - li 567
    - ls 595
  - removing
    - rm 833
    - rmdir 838
- directory 682
  - change root 172
  - changing
  - changing current 150
  - create 657
  - moving 682
  - renaming 682
  - return path name 95
- directory contents, listing 346, 567
- dirname command 95-96
- disk usage accounting 26
- disk usage summary 364
- diskusg command 330-331
- display command 332-335
- display station
  - changing DMA pinned page 333
  - setting active color palette 332
  - setting background colors 332
  - setting fonts 332
  - setting foreground colors 332
- displaying
  - a calendar 132
  - accounting report 15
  - audit record
    - auditpr 73
    - auditselect 76
  - audit trail 73
  - compressed files 730
  - connect accounting records 457
  - contents of i-nodes 545
  - corresponding group names and IDs 517
  - corresponding user names and IDs 517
  - current directory 800
  - date 281
  - documents formatted with the Memorandum
    - Macros 663



file checksum 1029  
 files 110, 137  
 formatted files 744, 761  
 login name 589  
 news items 691  
 packed files 730  
 process accounting records 20  
 process status 786  
 profile data 773  
 SCCS file editing activity 862  
 session record 15  
 squeezed files 730  
 system images 215  
 system parameters 171  
 total accounting report 16  
 dist command 336-339  
 Distributed Services  
   dsldxprof 355  
 dividing a file into pieces 974  
 DMA channel, setting 910  
 dodisk command 14  
 dos command 341-344  
 dosdel command 345  
 dosdir command 346-347  
 dosread command 348-349  
 doswrite 350-351  
 dp command 352-353  
 drill in arithmetic skills 59  
 dsipc command 354  
 dsldxprof command 355  
 dspcat command 357-358  
 dspmsg command 359-360  
 dsstate command 361-362  
 dsxlate command 363  
 dtoc command 1074  
 du command 364-365  
 dump command 366-367  
 dump, extracting error records 397  
 dump, octal 723  
 dumpfmt command 368

## E

echo command 369-370  
 ed command 371-384  
 edconfig command 385-386  
 edit command 387-392  
 editors  
   ed 371  
   edit 387  
   ex 407  
   ged 463  
   red 371  
   sed 887  
   tvi 1108  
   vedit 1187  
   vi 1187  
   view 1187  
 egrep command 501-505  
 end a process 552  
 env command 393-394  
 environment, changing login 689  
 eqn command 395, 396  
   constructs removed by the deroff  
     command 313  
   used in pipeline with nroff 710  
   used with tbl 1053  
 erase command 461  
 errdead command 397  
 errdemon command 398-399  
 error-logging daemon 398  
 error-logging daemon termination 404  
 error records extraction from dump 397  
 error report 400  
 errpd command 399, 403  
 errpt command 400-403  
 errstop command 404  
 errupdate 406  
 errupdate command 405  
 eval command 932  
 evaluating expressions  
   expr 412  
   test 1064  
 ex command 407-411  
 examining  
   connect accounting records 457

contents of i-nodes 545  
files 110  
system images 215  
system parameters 171  
exec command 932  
exercising link system call 575  
exit command 932  
exp command 992  
expanding packed files 730  
export command 932  
expr command 412-415  
expression evaluation 412  
extended character support  
    See international character support  
external references, flow graph 154  
extract error records from dump 397

## F

factor command 416  
factoring a number 416  
false command 1099  
fcc command 141  
ff command 417-419  
fgrep command 501-505  
file  
    display checksum 1029  
file command 420-421  
file formats  
    acct 18, 30  
    ar 55  
    backup 88  
    tacct 28  
    utmp 458  
    wtmp 458  
file pattern search 501  
file system  
    See also device (special) files  
    See also maintenance commands  
    See also system files  
    backing up 88  
    make available for use 669  
    make unavailable for use 1112  
    making 658

moving a directory 682  
renaming a directory 682  
unmount 1112  
file system debugger 450  
files  
    See also accounting files  
    See also device (special) files  
    See also managing programs, files  
    See also system files  
    a.out 141  
    auditing files  
    backing up 88  
    calendar 134  
    changing  
        owner-ID 169  
    checking consistency  
        dfscck command 447  
        fsck command 445  
    comparing 883  
        cmp 177  
        diff 320  
        diffmk 326  
        diff3 323  
        dircmp 328  
    comparing large files 102  
    compressing 730  
    concatenating 137  
    copying  
        AIX files 202  
        DOS files 348, 350  
    creating SCCS files 41  
    deleting  
        del 308  
        DOS files 345  
    determining type 420  
    displaying 137  
    displaying formatted files 744, 761  
    expanding 730  
    finding 422  
    identifying the processes using a file 455  
    initializing SCCS files 41  
    linking 581  
    merge lines 736  
    merging 958  
    modifying the user mask 1110  
    naming SCCS files 43



---

packing 730  
 parallel merging 736  
 removing  
     rm 833  
     skulker 951  
 repairing  
     dfsck command 447  
     fsck command 445  
 repairing damage 215  
 return base name 95  
 scanning 110  
 searching 110  
 searching for a pattern 501  
 serial merging 736  
 setting file-creation permission code  
     mask 1110  
 sorting 958  
 squeezing 730  
 text  
     changing the format 686  
 transforming 301  
 translating 301  
 unpacking 730  
 unsqueezing 730  
 writing the last part 1044  
 3-way comparison 323  
 filter commands  
     acctcom 20  
     acctcon1 24  
     acctmerg 28  
     awk 81  
     bdiff 102  
     cb 139  
     cmp 177  
     col 179  
     comb 181  
     cw 275  
     definition of 914  
     fwtmp 457  
     hp 514  
     nl 701  
     nroff 710  
     paste 736  
     ptx 794  
     tbl 1053  
     troff 710  
     wtmfix 458  
 find command 422, 426  
     acctdusg 26  
 find hyphenated words 516  
 find necessary order of files in an object  
     library 591  
 fish game 427  
 fixed minidisk information 650  
 Floating-Point Accelerator 143  
 floating point configuration 444  
 floor command 992  
 flow graph of external references 154  
 fmt command 428  
 folder command 429-432  
 folders command 433-435  
 fonts  
     setting virtual terminal 332  
 for command 930  
 format command 436  
 formats  
     See file formats  
 formatting C Language source code 139  
 formatting text  
     constant-width text 275  
     for a phototypesetter 709  
     for a printing device 709  
     inverse line feeds and half-line feeds 179  
     mathematical text 395  
     tables for nroff, troff 1053  
 fortune game 437  
 forw command 438-443  
 forwarding mail 105  
 fptype command 444  
 free disk space, reporting 318  
 fromnls conversion routine 302, 303  
 fromsjis conversion routine (Japanese Language  
     Support) 302, 303  
 fsck command 445-449  
 fsdb command 175, 450-454  
 fuser command 455-456  
 fwtmp command 457



# G

## games

- arithmetic 59
- back 87
- backgammon 87
- bj 117
- blackjack 117
- craps 214
- fish 427
- fortune 437
- hangman 512
- man 635
- moo 668
- number 721
- quiz 803
- ttt 1104
- wump 1231

gamma command 993

gd command 510

gdev commands 460-462

ged command 463-469

gencat command 470-474

gend command 475-476

generating C program cross-reference

listing 279

generating names from i-numbers 683

get command 310, 311, 477-484

getopt command 485-487

gettext command 488-489

getty command 490-493

going to maintenance mode 946

graph command 494-496

graph, system activity 865

graphical editor 463

graphics command 497-498

graphics commands

- abs 988

- af 989

- bar 1009

- bel 509

- bucket 1001

- ceil 991

- cor 1002

- cusum 991

cvrtopt 509

dtoc 1074

erase 461

exp 992

floor 992

gamma 993

gd 510

ged 463

gend 475

graph 494

graphics 497

gtop 510

hardcopy 461

hilo 1003

hist 1010

hpd 460

label 1011

list 993

log 994

lreg 1004

mean 1005

mod 995

pair 996

pd 510

pie 1012

plot 1014

point 1006

power 997

prime 986

prod 1006

ptog 510

qsort 1007

quit 510

rand 987

rank 1007

remcom 510

root 997

round 998

siline 999

sin 1000

spline 972

subset 1000

td 461

tekset 461

title 1016

total 1008

tplot 1079  
 ttoc 1075  
 utility commands 508  
 var 1008  
 vtoc 1075  
 whatis 511  
 graphing  
   external references 154  
 greek command 499-500  
 grep command 501-505  
 group  
   adding 1129  
   changing 1129  
   deleting 1129  
 group identification, changing 689  
 group IDs and names, displaying 517  
 group membership 506  
 group membership, display 506  
 groups command 506-507  
 gtop command 510  
 guess a word 512

## H

hangman game 512  
 hardcopy command 461  
 hash command 932  
 hashcheck command 970  
 hashmake command 970  
 header flags, SCCS 43, 45  
 help command 513  
 hilo command 1003  
 hist command 1010  
 hog factor computation 22  
 HOME 922  
 hp command 514-515  
 hpd command 460-461  
 hyphen command 516  
 hyphenated words 516

## I

i-node content, displaying 545  
 i-node examination 545  
 i-numbers  
   generating names 683  
 I/O counts 22  
 id command 517  
 if command 930  
 IFS 924  
 inc command 518-520  
 init command 521-523  
 initialization, normal startup 806  
 initializing  
   SCCS files 41  
 install command 524-526  
 install-mh command 527-528  
 installp command 529-536  
 interactive processor 97  
 international character support  
   at command 64  
   batch command 64  
   collating sequence  
   csh command 231  
   ctab command 257  
   dd command 302  
   dfscck command 447  
   equivalence classes  
   fsck command 447  
   fsdb command 452  
   li command 568  
   ls command 596  
   od command 724  
   print command 770  
   ps command 787  
   sh command 923  
   sort command 958  
   stty command 1023  
 interpolating a smooth curve 972  
 interpreters  
   bc 97  
   bs 118  
   sno 956  
 Interprocess Communication key mapping  
   installation 354

interprocess communication status 539  
inudocm command 1125-1126  
inuupdt command 1127  
ipc queues table  
    access 544  
ipcrm command 537-538  
ipcs command 539-543  
ipctable command 544  
istat command 545-546

## J

join command 547-550  
joinconf command 189  
joining database files 547  
joint editing of an SCCS file 482

## K

kanji characters, used in variable names 83  
kcore minutes, definition 19  
keyboard command 551  
keyboard, redefine 306  
kill all nonancestral processes 555  
kill command 552-554  
killall command 555

## L

label command 1011  
language support  
    See international character support  
lastlogin command 15  
ld command 143, 557-561  
lex command 562-566  
li command 567-573, 838  
LIBPATH 922  
library maintainer 55

library search order 144  
line command 574  
line editor 371  
line numbering filter 701  
line printer back end 593  
link command 575-576  
link library maintaining 55  
linkage editor 557  
linking  
    files 581  
    object files  
        cc 141  
        ld 557  
lint command 577-580  
list command 993  
listing  
    directory contents  
        di 567  
        li 567  
        ls 595  
    DOS directory contents 346  
    file names for a file system 417  
    statistics for a file system 417  
ln command 581-582  
locator command 583  
log command 994  
logged error report 400  
login command 584-586  
login environment, changing 689  
login names 491  
login session records 24  
loginx command 587-588  
LOGNAME 922  
logname command 589  
logout command 590  
looking at  
    connect accounting records 457  
    contents of i-nodes 545  
    files 110  
    system images 215  
    system parameters 171  
lorder command 591-592  
lp command 593-594  
lreg command 1004  
ls command 595-599



---

## M

- m4 command 603, 607
- macroprocessor 603
- MAIL 922
- mail command 107
- mail, Mail command 608-622
- MAILCHECK 922
- MAILMSG 923
- MAILPATH 922
- mailstats command 623-624
- maintaining groups of programs 625
- maintaining linkage libraries 55
- maintenance commands
  - backup 88
  - clri 175
  - cpio 205
  - mount 669
  - umount 1112
  - unmount 1112
- maintenance mode, going to 946
- make a directory 657
- make a tags file 261
- make command 625-631
- makekey command 634
- making a file system 658
- making two files the same 102
- man pubs 635-636
- manager, virtual terminals 32
- managing programs
  - See also programming
  - See also SCCS
  - commands
    - admin 41
    - cdc 152
    - comb 181
    - delta 310
    - get 477
    - help 513
    - prs 781
    - sact 862
    - sccsdiff 874
    - unget 1116
    - val 1175
    - what 1213

- files
  - auxiliary files 478
  - creating a delta 310
  - g-file 43, 310, 311, 477, 478, 483
  - l-file 478, 482
  - lock file 43
  - p-file 478, 479, 482
  - s-file 478
  - x-file 43
  - z-file 43, 478
- make 625
- security management
  - auditbin command 71
  - auditstream command 78
- z-file 479
- mant command 666
- mark command 637-639
- marking differences between files 326
- mdrc command 640-641
- mean command 1005
- membership, display group 506
- merging files 958
- merging lines in files 736
- merging total accounting files 28
- mesg command 642
- Message Handling commands
  - ali 48
  - anno 50
  - ap 53
  - burst 129
  - comp 185
  - conflict 196
  - dist 336
  - dp 352
  - folder 429
  - folders 433
  - forw 438
  - inc 518
  - install-mh 527
  - mark 637
  - mhl 643
  - mhmail 646
  - mhpath 648
  - msgchk 675
  - msh 677
  - next 694

---

- packf 733
- pick 748
- post 758
- prev 765
- prompter 778
- rcvdist 808
- rcvpack 810
- rcvstore 812
- rcvttty 815
- refile 817
- repl 821
- rmf 839
- rmm 841
- scan 871
- send 893
- show 942
- slocal 954
- sortm 965
- spost 978
- vmh 1203
- whatnow 1215
- whom 1222
- message queue removal 537
- messages, permitting 642
- messages, refusing 642
- messages, send 104
- messages, sending 1225
- MH commands
  - See Message Handling commands
- mhl command 643-645
- mhmail command 646-647
- mhpath command 648-649
- minidisks 650
- minidisks command 650
- mkcatdefs command 651-656
- mkdir command 657
- mkfs command 658-660
- mknod command 661-662
- mm command 663-665
- mmt command 666-667
- mod command 995
- modification request number 311
- modification times of a file, changing 1077
- modifying
  - changing permission codes 160
  - current directory 150
  - devices 315
  - files, SCCS 310
  - group identification 689
  - group ownership 156
  - groups 1129
  - login environment 689
  - owner-ID of files or directories 169
  - password 735
  - primary group 689
  - root directory 172
  - SCCS delta comments 152
  - system parameters 171
  - users 1129
- modifying access times of a file 1077
- modifying modification times of a file 1077
- monacct command 15
- moo game 668
- mount a file system 669
- mount command 669-673
- mount table, creating 911
- mountd command 674
- move command 679-681
- moving a directory 682
- moving files 679
- msgchk command 675-676
- msh command 677-678
- mt command 666
- Multi-User Services commands
  - acctcms 18
  - acctcom 20
  - acctcon1 24
  - acctcon2 25
  - acctdisk 26
  - acctdusg 26
  - acctmerg 28
  - accton 31
  - acctprc1 30
  - acctprc2 31
  - acctwtmp 458
  - chargefee 14
  - ckpacct 14
  - dodisk 14
  - fwtmp 457
  - id 517
  - lastlogin 15
  - mesg 642

monacct 15  
 nulladm 15  
 prctmp 15  
 prdaily 15  
 prtacct 16  
 runacct 848  
 sar 867  
 shutacct 16  
 startup 16  
 turnacct 16  
 who 1219  
 wtmpfix 458  
 300 1262  
 4014 1264  
 450 1265  
 mv command 679-681  
 mvdir command 682  
 mvmd command 534-535  
 mvt command 666

## N

ncheck command 683-684  
 ndtable command 685  
 neqn command 395-396  
     used with tbl 1053  
 network Users/Groups table  
     access 1109  
 newform command 686-688  
 newgrp command 689-690, 933  
 news command 691-693  
 next command 694-695  
 nice command 699-700  
 nl command 701-704  
 NLCTAB 923  
 nm command 705-706  
 node table  
     access 685, 801  
 nohup command 707-708  
 normal startup initialization 806  
 nroff command 709-720  
     tbl, preprocessor 1053  
 nulladm command 15  
 number factoring 416

number game 721  
 numbering lines 701

## O

object library  
     ordering relation 591  
 octal dump 723  
 od command 723-725  
 open command 728, 729  
     used after actman command 32

## P

pack command 730-732  
 packf command 733-734  
 pair command 996  
 parallel merging of lines in files 736  
 parameters  
     work station  
         erase 490  
         kill 490  
         logmodes 490  
         owner 492  
         parity 490  
         program 492  
         protection 492  
         runmodes 490, 491, 492  
         special purpose options 492  
         speed 490  
 parameters, setting work station 1018  
     terminal mapping 1023  
 parsing command line flags 485  
 passwd command 735  
 password table 801  
 password, change 735  
 passwords, characteristics  
 paste command 736-738  
 PATH 923  
 path name, return directory 95  
 pattern matching



---

- acctcom 22
- awk 81
- pattern matching (Japanese Language Support) 232
- pattern, search for 501 :
- pcat command 730-732
- pd command 510
- pdelay command 791-793
- pdisable command 741-743
- penable command 791-793
- perform disk accounting functions 14
- perform monthly accounting 15
- performing process accounting 30
- permission codes, changing 160
  - changing
  - permissions 160
- permitting messages 642
- pg command 744-747
- phold command 741-743
- pick command 748-752
- pie command 1012
- piobe command 753-756
- pipe fitting 1060
- pipeline
  - asynchronous execution 914
  - conditional execution 914
  - definition of 914
  - sequential execution 914
- plot command 1014
- point command 1006
- port characteristics 490
- port characteristics, setting 490
- portmap 757
- post command 758-760
- power command 997
- pr command 761-764
- prctmp command 15
- prdaily command 15, 848
- precision arithmetic 97
- preprocessing
  - source code
    - cc 141
    - cpp 210
- preprocessor
  - macro 603
- prev command 765-766

- primary group 506
- primary group, changing 689
- prime command 986
- print command 767-772
- printer back end 593
- printing
  - a calendar 132
  - accounting report 15
  - audit record
    - auditpr 73
    - auditselect 76
  - audit trail 73
  - compressed files 730
  - corresponding group names and IDs 517
  - corresponding user names and IDs 517
  - current directory 800
  - date 281
  - documents formatted with the Memorandum Macros 663
  - file checksum 1029
  - formatted files 744, 761
  - login name 589
  - news items 691
  - packed files 730
  - process accounting records 20
  - process status 786
  - profile data 773
  - SCCS file editing activity 862
  - session record 15
  - squeezed files 730
  - total accounting report 16
- priority, running a command 699
- process a report of logged errors 400
- process accounting 30
- process accounting records, display 20
- process accounting report 21
- process accounting, turn off 16
  - /usr/adm/wtmp
  - shutacct 16
- process suspension 552
- prod command 1006
- producing C program cross-reference listing 279
- prof command 144, 773-774
- profiler commands 775
- profiling the operating system 775

program checking, C programs 577  
 program maintenance 625  
 program update 1127  
 program updating 625  
 programming  
   See also managing programs  
   assembler  
     as 61  
   assembling source code 141  
   C Language  
     cb 139  
     cc 140  
     cflow 154  
     cpp 210  
     fcc 141  
     formatting source code 139  
     lint 577  
     vcc 141  
     vrmfmt 141  
   debugging programs  
   files  
     a.out 141  
   linking object files 141  
   preprocessing source code 141  
   the shell  
 programs, checking  
   awk command 81  
   bs 118  
   cvid 272  
   managing programs  
     awk 81  
     make 625  
   messages  
   miscellaneous languages  
     ar 55  
     awk 81  
 prompter command 778-779  
 proto command 780  
 prs command 781-785  
 prtacct command 16  
 ps command 786-790  
 pshare command 791-793  
 pstart command 791-793  
 PS1 923  
 PS2 923  
 ptecms.awk program 17

ptelus.awk program 17  
 ptog command 510  
 ptx command 794-795  
 puttext command 796-797  
 pwck command 798-799  
 pwd command 800, 933  
 pwtable command 801

## Q

qdaemon command 802  
 qsort command 1007  
 query terminal characteristics 1062  
 quit command 510  
 quiz game 803-805

## R

rand command 987  
 rank command 1007  
 rc command 806, 807  
   startup 16  
 rcvdist command 808-809  
 rcvpack command 810-811  
 rcvstore command 812-814  
 rcvttty command 815-816  
 read command 933  
 read operations 22  
 reading one line 574  
 reading standard input  
   acctcon1 24  
   acctmerg 28  
   as 61  
   at 63  
   awk 81  
   batch 63  
   bdiff 102  
   cb 139  
   cmp 177  
   comb 181  
   fwtmp 457



- wtmpfix 458
- readonly command 933
- recovering from a system crash 215
- red command 371
- redefine keyboard 306
- refile command 817-819
- refusing messages 642
- regcmp command 820
- rejecting lines common to two sorted files 183
- relational database operator 547
- remcom command 510
- reminder service 134
- remote system mail 836
- remote system, connection 198
- remotely-settable hardware tabs 1041
- remove a message queue 537
- remove a semaphore set 537
- remove a shared memory id 537
- remove command 16
- removing
  - delta from SCCS file 837
  - devices 315
  - directories
    - rm 833
    - rmdir 838
  - DOS files 345
  - files
    - del 308
    - rm 833
    - skulker 951
  - groups 1129
  - repeated words 1118
  - users 1129
  - users, SCCS 45
- renaming a directory 682
- renaming files 679
- repairing damaged files 215
- repairing wtmp records 458
- repeated words, deleting 1118
- repl command 821-825
- report process data and system activity 1069
- report, process accounting 21
- reporting free disk space 318
- reports
  - SCCS 182
- reports, accounting

- restarting tlogger daemon 1071
- restore command 826-831
- return base file name or directory path name 95
- return command 933
- returning a true or false value 1099
- rexd command 832
- rm command 833-835, 838
- rmail command 836
- rmdel command 837
- rmdir command 838
- rmf command 839-840
- rmm command 841-842
- root command 997
- root directory, changing 172
- round command 998
- rpcgen command 843
- rpcinfo command 845
- rsh command 935
- rsprayd command 983
- rstatd command 847
- runacct command 848-851
- runcat command 852-853
- running a command at low priority 699
- running commands at a later time 63
- rup command 854
- rusers command 856
- rusersd command 858
- rwall command 859
- rwalld command 861

## S

- sact command 862
- sadc command 863-864
- sag command 865-866
- sar command 867-870
- saving files 88
- sa1 command 863-864
- sa2 command 863-864
- scan command 871-873
- scanning files 110
- SCCS
  - branching from leaf deltas 481



- 
- changing delta comments 152
  - checking the structure of SCCS files 45
  - comments, including kanji characters 312
  - creating a file 41
  - creating a specified version of a file 477
  - Data Keywords 781
  - delta summary 482
  - getting help information 513
  - header flags 43
  - identification keywords 480
  - initializing a file 41
  - interpreting errors 513
  - joint editing of files 482
  - modification request (MR) number 46, 311
  - Modification Requests 152
  - naming a file 43
  - recalculating the SCCS file checksum 46
  - removing a delta 837
  - reports 182
  - SID (SCCS Identification) 311
  - specifying version date cutoff 482
  - sccsdiff command 874
  - scheduling commands 63
  - scheduling queue requests 802
  - sdb command 875-882
  - sdiff command 883-884
  - search order, library 144
  - searching files 110
  - secure command 885-886
  - sed command 887-892
  - segment files 252
  - selecting fields from a file 269
  - selecting lines common to two sorted files 183
  - semaphore set removal 537
  - send command 893-896
  - sending messages 104, 1225
  - sendmail command 897-909
  - serial merging of lines in files 736
  - session records 24
  - set command 485, 933
  - set environment 393
  - setdma command 910
  - setmnt command 911-912
  - setting DMA channel 910
  - setting file-creation permission code mask 1110
  - setting port characteristics 490
  - setting tabs on a work station 1041
  - setting the date 281
  - setting the parameters for a work station 1018
  - sh command 913-937
    - See also shell
    - command line separators and terminators 914
  - SHACCT 924
  - shared memory id removal 537
  - shell 924
    - actman 32
    - blank interpretation 930
    - built-in commands 931
    - command environment 919
    - command execution 914
    - command-line substitution 917
    - command substitution 925
    - conditional substitution 920
    - control commands 930
    - diagnostic output 927
    - file descriptors 926
    - file-name substitution 916
    - inline input documents 928
    - positional parameters 918
    - predefined special variables
    - profile file 915
    - quoting mechanisms 925
    - redirection of input and output 926, 930
    - running the shell 935
    - shell variables
      - \$- 925
      - \$! 924
      - \$\$ 924
      - \$? 924
      - \$# 924
      - CDPATH 922
      - HOME 922
      - IFS 924
      - LIBPATH 922
      - LOGNAME 922
      - MAIL 922
      - MAILCHECK 922
      - MAILMSG 923
      - MAILPATH 922
      - NLCTAB 923

---

PATH 923  
 PS1 923  
 PS2 923  
 SHACCT 924  
 SHELL 924  
 TIMEOUT 924  
 signals 915  
 standard input and output 926  
 subshell 915  
 summary of redirection options 929  
 user-defined variables 918  
 variables 917  
 shell command 938  
 shell environment 491  
 shell procedures for accounting 13  
 shell variable arithmetic 412  
 shift command 934  
 shlib command 939-941  
 show command 942-944  
 show login records 15  
 showing  
   a calendar 132  
   accounting report 15  
   audit record  
     auditpr 73  
     auditselect 76  
   audit trail 73  
   compressed files 730  
   corresponding group names and IDs 517  
   corresponding user names and IDs 517  
   current directory 800  
   date 281  
   documents formatted with the Memorandum  
     Macros 663  
   file checksum 1029  
   formatted files 744, 761  
   login name 589  
   news items 691  
   packed files 730  
   process accounting records 20  
   process status 786  
   profile data 773  
   SCCS file editing activity 862  
   session record 15  
   squeezed files 730  
   total accounting report 16  
   showmount command 945  
   shutacct command 16  
   shutdown command 946-948  
   shutting down the system 946  
   siline command 999  
   sin command 1000  
   sinstalck command 1036  
   size command 949-950  
   skulker command 951  
   sleep command 952-953  
   slocal command 954-955  
   sno command 956-957  
   sort command 958-964  
   sorting characters (Japanese Language  
     Support) 959  
   sorting files 958  
   sortm command 965-966  
   sound command 967-968  
   source code  
     external references flow graph 154  
 Source Code Control System  
   See SCCS  
 special (device) files  
   /dev/audit 78  
   /dev/null  
     acctcom 20  
     standard input assigned to 20  
   adding 315  
   changing 315  
   creating 661  
   deleting 315  
   specifying version date cutoff 482  
 spell command 969-971  
 spellin command 970  
 spellprog program 971  
 spline command 972-973  
 split command 974  
 split files by context 252  
 splitting a file into pieces 974  
 splp command 975-977  
 spost command 978-980  
 spray command 981  
 squeezing files 730  
 standard input  
   acctcon1 24  
   acctmerg 28



---

- as 61
- at 63
- awk 81
- batch 63
- bdiff 102
- cb 139
- cmp 177
- comb 181
- fwtmp 457
- wtmpfix 458
- standard output
  - acctconl 24
  - acctmerg 28
  - acctwtmp 458
  - awk 81
  - bdiff 102
  - cal 132
  - cb 139
  - cflow 154
  - cmp 177
  - comb 181
  - fwtmp 457
  - wtmpfix 458
- start accounting functions 16
- starting up the system 521
- startup command 16
- startup initialization 806
- startup shell
  - actman 32
- stat commands 984-1016
- state values
  - changing 361
- status of interprocess communication 539
- stop a process 552
- stopping error-logging daemon 404
- stopping tlogger daemon 1071
- stream editor 887
- strings 94
- strip command 1017
- stty command 1018-1025
- su command 1026-1028
- subset command 1000
- sum command 1029
- summarize disk usage 364
- summary of command usage 18
- superblock update 1030
- superuser authority 770, 771, 1050, 1159
  - biodd\_cfg 115
  - commands
    - adduser 1129
    - at 63
    - chmod 160
    - chroot 172
    - ckprereq 533
    - cpio 206
    - crontab 222
    - cvid 272
    - date 281
    - devices 315
    - dfsc 447
    - errdemon 398
    - errstop 404
    - fsck 446
    - installc 166
    - installp 529
    - killall 555
    - mesg 642
    - minidisks 650
    - mount 669
    - mvmd 534
    - nice 699
    - passwd 735
    - print 770
    - removing scheduled jobs 64
    - rm 833
    - shown in report 21
    - shutdown 946
    - tar 1049
    - tlog 1071
    - updatec 167
    - updatep 1122
    - users 1129
    - uustat 1159
  - dsipc 354
  - dsldxprof 355
  - dsstate 361
  - dsxlate 363
  - ipctable 544
  - ndtable 685
  - pwtable 801
  - removing files 833
  - ugtable 1109



---

suspend a process 552  
 sync command 1030  
 syntax checking, C programs 577  
 sysck command 1031  
 syslogd command 1037-1039  
 system activity graph 865  
 system activity reporter 863, 867  
 system files  
     \$HOME/.profile 1027  
     /dev/null  
         expr 415  
     /etc/.ilog 585, 1220  
     /etc/budate  
         mount 90  
     /etc/environment 523, 585  
     /etc/filesystems 272, 446, 456, 658  
         cvid 272  
         mount 89, 669, 670  
     /etc/group 1129  
         groups 506  
     /etc/magic 420  
     /etc/mnttab  
         mount 669  
         umount 1113  
     /etc/ogroup 1129  
     /etc/opasswd 1129  
     /etc/passwd 585, 1026, 1027, 1129  
         acctdisk 27  
         acctprcl 30  
         groups 506  
     /etc/portstatus 522, 742, 792  
     /etc/profile 1027  
     /etc/qconfig 754  
     /etc/rasconf 398  
     /usr/adm/sulog 1026  
     /usr/adm/user.cfile 1129, 1131  
     /usr/adm/wtmp 458, 1220  
     /usr/games/lib/backrules 87  
     /usr/lib/cron/at.allow 63  
     /usr/lib/cron/at.deny 63  
     /usr/lib/eign 795  
     /usr/lib/terminfo 746  
     /usr/lib/tmac 313  
     a.out 61  
     connect.con 198  
     group 423, 689  
     passwd 423, 689  
     ports 741, 791, 1220  
     portstatus 741, 791  
     utmp 1220  
 system group commands  
     adduser 1129  
     backup 88  
     biodd\_cfg 115  
     ckprereq 533  
     cvid 272  
     date 281  
     devices 315  
     dsipc 354  
     dsldxprof 355  
     dsstate 361  
     dsxlate 363  
     installc 166  
     installp 529  
     ipctable 544  
     minidisks 650  
     mount 669  
     mvmd 534  
     ndtable 685  
     print 770  
     pwtable 801  
     turnoff 1107  
     turnon 1107  
     ugtable 1109  
     updatec 167  
     users 1129  
 system image examination 215  
 system parameters, changing or examining 171  
 system procedures  
     restarting the terminal-logging  
         daemon 1071  
     starting the error-logging daemon 398  
     starting the terminal-logging daemon 1072  
     stopping the terminal-logging daemon 1071,  
         1072  
 system startup 521

# T

- tab command 1040
- tabs command 1041-1043
- tail command 1044-1046
- tape archiver 1048
- tapechk command 1047
- tar command 1048-1052
- tbl command 1053, 1055
  - descriptions removed by the deroff command 313
  - used in pipeline with nroff 710
- tc command 1056-1057
- tctl command 1058-1059
- td command 461-462
- tee command 1060-1061
- tekset command 461
- termdef command 1062
- terminal characteristics 1062
- terminal-logging daemon 1072
- terminal mapping 1023
- terminals
  - DASI 300 1262
  - DASI 300s 1262
  - DASI 450 1265
  - Diablo 1620 1265
  - HP2621 514
  - HP2640 514
  - phototypesetter simulator 1056
  - Tektronix 4014 1056, 1264
  - Xerox 1700 1265
- terminals, multiple virtual 32
- terminating error-logging daemon 404
- terminating tlogger daemon 1071
- test command 934, 1064-1066
- text file, changing the format of 686
- text processing commands
  - checkcw 275
  - checkeq 395
  - checkmm 663
  - col 179
  - cw 275
  - eqn 395
  - eqncheck 395
  - greek 499
  - mant 666
  - mm 663
  - mmt 666
  - mt 666
  - mvt 666
  - neqn 395
  - nroff 709
  - spell 969
  - tbl 1053
  - troff 710
- tic command 1067
- time a command 1068, 1069
- time command 1068
- TIMEOUT 924
- times command 934
- timex command 1069-1070
- title command 1016
- tlog command 1071, 1073
- tlogger command 1072-1073
- tlogger daemon 1071
- toc commands 1074-1076
- tonls conversion routine 302, 303
- tosjis conversion routine (Japanese Language Support) 302, 303
- total command 1008
- touch command 1077-1078
- tplot command 1079-1080
- tput command 1081-1082
- tr command 1083-1085
- trace command 1086-1090
- translate characters 1083
- translate profile
- trap command 934
- trcrpt command 1091-1092
- trcstop command 1093
- trcupdate command 1094-1096
- trdiag command 1097-1098
- troff command 710, 720
  - requests removed by the deroff command 313
  - tbl, preprocessor 1053
- true command 1099
- tsh command 1100-1101
- tsort command 1102-1103
- ttoc command 1075
- ttt game 1104



tty command 1105-1106  
turn off process accounting 16  
turn on accounting functions 16  
turnacct command 16  
turning the computer off 946  
turnoff command 1107  
turnon command 1107  
tvi command 1108  
type command 934

## U

uadm command 1133-1136  
ugtable command 1109  
ulimit command 934  
umask command 935, 1110-1111  
umount command 1112-1113  
uname command 1114-1115  
unget command 1116-1117  
uniq command 1118  
units command 1119-1121  
unlink 575  
unlink command 576  
unmount command 1112-1113  
unmounting a file system 1112  
unpack command 730-732  
unset command 935  
untab command 1040  
until command 931  
update a program 1127  
update groups of programs 625  
updatep command 1122-1128  
updating access times of a file 1077  
updating modification times of a file 1077  
updating the superblock 1030  
usage, command summary 18  
user  
    adding 1129  
    adm 15  
    changing 1129  
    deleting 1129  
user IDs and names, displaying 517  
user mask, modifying 1110  
userid

    adm 848  
    root 552, 848, 1026, 1027  
users command 1129-1132  
using  
    display station features 332  
uuccheck command 1137-1138  
uucico command 1139-1140  
uucleanup command 1141-1143  
uucp command 1144-1148  
uulog command 1149-1150  
uname command 1151-1152  
uupick command 1153-1155  
uusched command 1156-1157  
uustat command 1158-1161  
uuto command 1162-1163  
uutry command 1164-1165  
uux command 1166-1171  
uuxqt command 1172-1173

## V

val command 1175-1176  
var command 1008  
varyoff command 1177-1179  
varyon command 1180-1181  
vc command 1182-1185  
vcc command 141  
vedit command 1187-1202  
verify command 1186  
version date cutoff, specifying 482  
vi command 1187-1202  
view command 1187-1202  
virtual terminal  
    assigning default display 332  
    assigning physical display 332  
    changing DMA pinned page 333  
    setting active color palette 332  
    setting background colors 332  
    setting fonts 332  
    setting foreground colors 332  
virtual terminal manager 32  
vmh command 1203-1204  
vrmconfig command 1206-1207  
vrmfmt command 141



vrn2rtfont command 1205  
vtoc command 1075

## W

wait command 935  
wall command 1208  
watch command 1209  
wc command 1211-1212  
what command 1213-1214  
whatis command 511  
    utility commands 511  
whatnow command 1215-1218  
while command 931  
who command 1219-1221  
whom command 1222-1224  
work station characteristics 1062  
work station parameters, setting 1018  
work stations  
    DASI 300 1262  
    DASI 300s 1262  
    DASI 450 1265  
    Diablo 1620 1265  
    HP2621 514  
    HP2640 514  
    phototypesetter simulator 1056  
    Tektronix 4014 1056, 1264  
    Xerox 1700 1265  
write command 1225-1229  
write operations 22  
writesrv command 1230  
writing audit records 80  
writing buffered files to fixed disk 1030  
writing the last part of a file 1044  
writing to standard output  
    acctcon1 24  
    acctmerg 28  
    acctwtmp 458  
    awk 81

bdiff 102  
cal 132  
cb 139  
cflow 154  
cmp 177  
comb 181  
fwtmp 457  
wtmpfix 458  
wtmpfix command 458  
wump game 1231

## X

X windows 1236  
xargs command 1232-1235  
xdbx command 1236

## Y

yacc command 1237-1238  
ypbind daemon 1239  
ypinit command 1243  
yppasswd command 1247  
yppasswdd command 1249  
yppoll command 1251  
yppush command 1252  
ypserv daemon 1256  
ypwhich command 1258  
ypxfr command 1260

## Numerics

300 command 1262-1263  
4014 command 1264  
450 command 1265-1266

Book Title \_\_\_\_\_

Order No. \_\_\_\_\_

**Book Evaluation Form**

Your comments can help us produce better books. You may use this form to communicate your comments about this book, its organization, or subject matter, with the understanding that IBM may use or distribute whatever information you supply in any way it believes appropriate without incurring any obligation to you. Please take a few minutes to evaluate this book as soon as you become familiar with it. Circle Y (Yes) or N (No) for each question that applies and give us any information that may improve this book.

Y    N    Is the purpose of this book clear?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Is the table of contents helpful?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Is the index complete?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Are the chapter titles and other headings meaningful?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Is the information organized appropriately?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Is the information accurate?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Is the information complete?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Is only necessary information included?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Does the book refer you to the appropriate places for more information?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Are terms defined clearly?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Are terms used consistently?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Are the abbreviations and acronyms understandable?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Are the examples clear?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Are examples provided where they are needed?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Are the illustrations clear?

\_\_\_\_\_  
\_\_\_\_\_

Y    N    Is the format of the book (shape, size, color) effective?

\_\_\_\_\_  
\_\_\_\_\_**Other Comments**

What could we do to make this book or the entire set of books for this system easier to use?

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_**Optional Information**

Your name \_\_\_\_\_

Company name \_\_\_\_\_

Street address \_\_\_\_\_

City, State, ZIP \_\_\_\_\_

Tape


Please Do Not Staple

Tape

Cut or Fold Along Line

Fold and Tape

Fold and Tape



International Business Machines Corporation  
Department 997, Building 998  
11400 Burnet Rd.  
Austin, Texas 78758-3493

POSTAGE WILL BE PAID BY ADDRESSEE

FIRST CLASS PERMIT NO. 40 ARMONK, NEW YORK

**BUSINESS REPLY MAIL**

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES







The IBM AIX/RT Family

## **Reader's Comment Form**

### **AIX Operating System Commands Reference**

SC23-2011-1/SC23-2081-1

Your comments assist us in improving our products. IBM may use and distribute any of the information you supply in any way it believes appropriate without incurring any obligation whatever. You may, of course, continue to use the information you supply.

For prompt resolution to questions regarding set up, operation, program support, and new program literature, contact your IBM representative, your IBM authorized dealer, or your IBM authorized remarketer.

Comments:

Tape

Please Do Not Staple

Tape

Cut or Fold Along Line

Fold and Tape

Fold and Tape



International Business Machines Corporation  
Department 997, Building 998  
11400 Burnet Rd.  
Austin, Texas 78758-3493

POSTAGE WILL BE PAID BY ADDRESSEE

FIRST CLASS PERMIT NO. 40 ARMONK, NEW YORK

**BUSINESS REPLY MAIL**

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES





The IBM AIX/RT Family

## **Reader's Comment Form**

### **AIX Operating System Commands Reference**

SC23-2011-1/SC23-2081-1

Your comments assist us in improving our products. IBM may use and distribute any of the information you supply in any way it believes appropriate without incurring any obligation whatever. You may, of course, continue to use the information you supply.

For prompt resolution to questions regarding set up, operation, program support, and new program literature, contact your IBM representative, your IBM authorized dealer, or your IBM authorized remarketer.

Comments:



Tape

Please Do Not Staple

Tape

Cut or Fold Along Line

Fold and Tape

Fold and Tape


International Business Machines Corporation  
Department 997, Building 998  
11400 Burnet Rd.  
Austin, Texas 78758-3493

POSTAGE WILL BE PAID BY ADDRESSEE

FIRST CLASS PERMIT NO. 40 ARMONK, NEW YORK

**BUSINESS REPLY MAIL**

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES





The IBM AIX/RT Family

**Reader's Comment Form**

**AIX Operating System  
Commands Reference**

SC23-2011-1/SC23-2081-1

Your comments assist us in improving our products. IBM may use and distribute any of the information you supply in any way it believes appropriate without incurring any obligation whatever. You may, of course, continue to use the information you supply.

For prompt resolution to questions regarding set up, operation, program support, and new program literature, contact your IBM representative, your IBM authorized dealer, or your IBM authorized remarketer.

Comments:

Tape


Please Do Not Staple

Tape

Cut or Fold Along Line

Fold and Tape

Fold and Tape



International Business Machines Corporation  
Department 997, Building 998  
11400 Burnet Rd.  
Austin, Texas 78758-3493

POSTAGE WILL BE PAID BY ADDRESSEE

FIRST CLASS PERMIT NO. 40 ARMONK, NEW YORK

**BUSINESS REPLY MAIL**

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES







The IBM AIX/RT Family

## **Reader's Comment Form**

### **AIX Operating System Commands Reference**

SC23-2011-1/SC23-2081-1

Your comments assist us in improving our products. IBM may use and distribute any of the information you supply in any way it believes appropriate without incurring any obligation whatever. You may, of course, continue to use the information you supply.

For prompt resolution to questions regarding set up, operation, program support, and new program literature, contact your IBM representative, your IBM authorized dealer, or your IBM authorized remarketer.

Comments:

Tape


Please Do Not Staple

Tape

Cut or Fold Along Line

Fold and Tape

Fold and Tape



International Business Machines Corporation  
Department 997, Building 998  
11400 Burnet Rd.  
Austin, Texas 78758-3493

POSTAGE WILL BE PAID BY ADDRESSEE

FIRST CLASS PERMIT NO. 40 ARMONK, NEW YORK

**BUSINESS REPLY MAIL**

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES







© IBM Corp. 1988  
All rights reserved.

International Business  
Machines Corporation  
11400 Burnet Road  
Austin, Texas 78758

Printed in the  
United States of America

SC23-2081-1



SC23-2081-1



27F4354